

Q2 METALS CORP.**CISCO PROJECT**Drill Collar Information

Hole number	Approximate Azimuth (Deg)	Approximate Dip (Deg)	Final Depth	Northing	Easting	Elevation (m)
CS23-001	179	-45	258.0	5613734	325664	245
CS23-002	179	-45	333.0	5613712	325620	251
CS23-003	179	-45	180.0	5613733	325520	245
CS23-004	359	-80	126.0	5613613	325568	253
CS23-005	359	-80	177.0	5613636	325472	249
CS23-006	359	-45	213.0	5613637	325472	249
CS24-007	0	-60	258.2	5613572	325483	247
CS24-008	0	-60	150.1	5613512	325572	246
CS24-009	0	-50	239.8	5613559	325421	245
CS24-010	0	-88	369.4	5613559	325421	245
CS24-011	0	-60	227.7	5613511	325352	244
CS24-012	315	-45	297.1	5613407	325370	246
CS24-013	315	-45	345.3	5613337	325273	247
CS24-014	315	-45	345.0	5613274	325195	253
CS24-015	315	-45	249.0	5613461	325249	243
CS24-016	315	-45	347.7	5613630	325663	245
CS24-017	315	-45	417.3	5613238	325303	253
CS24-018	315	-45	506.7	5613092	325432	261
CS24-019	315	-45	458.9	5613074	325238	260
CS24-020	315	-45	405.0	5612940	325304	271
CS24-021	315	-45	554.9	5613222	325578	256
CS24-022	315	-45	579.0	5612945	325576	271
CS24-023	315	-75	609.1	5612939	325304	271
CS25-024	315	-45	189.0	5612670	325870	285
CS25-024A	315	-48	587.3	5612670	325870	285
CS25-025	315	-45	549.0	5612670	325296	322
CS25-026	315	-45	624.2	5612957	325859	263
CS25-027	315	-45	620.1	5612522	325437	283
CS25-028	315	-45	645.4	5613241	325728	250
CS25-029	315	-45	585.0	5612373	325287	291
CS25-030	265	-50	587.0	5613686	325731	245
CS25-031	325	-75	642.3	5612372	325287	291
CS25-032	315	-45	216.0	5613549	326549	243
CS25-033	315	-45	647.9	5612048	325364	267
CS25-034	0	-45	279.0	5613550	326551	242
CS25-035	10	-45	282.1	5613471	326621	240
CS25-036	135	-55	582.1	5613461	325250	243
CS25-037	190	-45	209.9	5613743	326578	240
CS25-038	315	-45	651.1	5612952	325432	307
CS25-039	305	-47	623.3	5612690	325453	319
CS25-040	315	-45	649.3	5613083	325576	303

Q2 METALS CORP.

CISCO PROJECT

Drill Collar Information

CS25-041	312	-45	464.9	5613372	325520	286
----------	-----	-----	-------	---------	--------	-----

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

Hole ID		From (m)	To (m)	Interval (m)	Li2O (%)	Ta2O5 (ppm)
Press release: May 16, 2024						
CS-23-01		141.5	156	14.5	0.66	120
	Incl.	152.6	155	2.4	1.94	130
	and	189.2	195.3	6.1	0.57	129
Press release: May 16, 2024						
CS-23-04		6	37.5	31.5	1.4	163
	Incl.	16.5	25.5	9.0	1.88	148
Press release: May 16, 2024						
CS-23-05		3	23.5	20.5	1.38	164
	and	46.5	94.5	48.0	1.36	125
	Incl.	49.5	58.5	9.0	1.91	101
	and	104.9	111.6	6.8	1.38	148
	and	124.3	135.9	11.6	1.16	163
	and	148.5	177	28.5	1.59	133
	Incl.	148.5	157.5	9.0	1.91	109
Press release: May 16, 2024						
CS-23-06		3	19.3	16.3	1.63	136
	Incl.	9	15	6.0	1.88	128
	and	24	46	22.0	1.02	131
	and	57	76.5	19.5	1.76	125
	Incl.	60	66	6.0	1.83	117
Press release: August 19, 2024						
CS-24-007		9.3	23	13.8	1.61	125
	and	44.9	72	27.1	1.96	138
	incl.	59	70.1	11.1	2.49	104
	and	95.9	99.2	3.3	1.31	120
	and	127.7	132	4.4	1.3	163
	and	139	144	5.0	1.41	108
	*and	150.2	165.3	15.1	1.02	99
	*and	170.5	178.9	8.4	0.96	120
	and	186.5	204	17.5	1.61	171
	incl.	196	201.7	5.7	2.16	136
Press release: August 19, 2024						
CS-24-008		69.3	77.1	7.8	1.32	173
	and	82.9	102.2	19.3	1.75	127
	incl.	86.5	92.7	6.2	2.23	105
Press release: August 19, 2024						
CS-24-009		29	38.7	9.7	1.5	143
	*and	62.6	144.7	82.1	1.43	149
	incl.	68	83.8	15.7	1.88	155
	incl.	124.1	137.8	13.7	1.95	159
	and	154.8	178.9	24.2	1.65	151

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	<i>incl.</i>	163.2	173.5	10.3	2.02	145
Press release: August 19, 2024						
CS-24-010	*	14.3	20.5	6.2	0.84	242
	<i>and</i>	37.1	44.4	7.2	1.38	263
	<i>and</i>	53.1	68.5	15.5	1.64	167
	<i>and</i>	88.9	92.3	3.4	2.02	194
	<i>and</i>	101	117.7	16.7	1.83	100
	<i>and</i>	155.1	158.4	3.3	0.94	508
	<i>and</i>	183.8	186.3	2.5	0.99	176
	* <i>and</i>	200	320.3	120.3	1.72	195
	<i>incl.</i>	241.5	260.5	19.0	2.06	197
	<i>incl.</i>	303.5	316.5	13.0	2.25	195
	<i>and</i>	332	338	6.0	1.99	107
Press release: October 1, 2024						
CS-24-011		12.8	28.3	15.5	0.74	163
	<i>and</i>	42.9	62.7	19.8	0.88	262
	<i>and</i>	95.2	115.7	20.5	1.57	133
	<i>and</i>	125.6	207.4	81.8	1.17	96
Press release: October 1, 2024						
CS-24-012		23.6	34.3	10.7	1.28	192
	<i>and</i>	44.9	56.1	11.2	1.61	100
	<i>and</i>	71.6	78.6	7.0	1.65	140
	<i>and</i>	112.4	128.4	16.0	0.86	71
	<i>and</i>	214.1	222.9	8.8	0.72	166
	<i>and</i>	228.3	250.7	22.4	0.98	124
	<i>and</i>	254	264.4	10.4	0.46	57
Press release: October 1, 2024						
CS-24-013		17	26.7	9.6	1.21	101
	<i>and</i>	33.6	46.8	13.1	0.91	89
	<i>and</i>	52.1	55.8	3.8	1.2	98
	<i>and</i>	62.1	76.3	14.1	0.93	149
	<i>and</i>	85.5	100.5	15.1	1.78	125
	<i>and</i>	120.4	126.5	6.1	1.62	172
	<i>and</i>	136.6	196.1	59.5	1.18	118
	<i>and</i>	277.9	284.2	6.3	1.29	118
	<i>and</i>	289.8	299.3	9.6	0.98	93
Press release: October 1, 2024						
CS-24-014		7.2	16.9	9.7	1.15	123
	<i>and</i>	36.6	57.4	20.8	1.38	73
	<i>and</i>	80.9	100	19.1	0.96	188
	<i>and</i>	171.4	198.1	26.7	0.9	124
	<i>and</i>	212.4	221.2	8.7	0.98	227
	<i>and</i>	233.3	249.6	16.3	1.31	233
	<i>and</i>	265.3	267.9	2.7	0.85	255

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	<i>and</i>	304.8	324.8	19.9	0.45	124
Press release: October 1, 2024						
CS-24-015		39.8	47.3	7.4	0.55	217
	<i>and</i>	101.6	105.3	3.7	0.75	227
	<i>and</i>	115.6	122.3	6.7	0.6	105
	<i>and</i>	127.9	138.2	10.4	1.43	167
	<i>and</i>	151.1	169.6	18.5	1.47	149
Press release: October 1, 2024						
CS-24-016		43.6	59.4	15.8	1.33	150
	<i>and</i>	255.3	261.1	5.8	0.59	98
Press release: October 28, 2024						
CS-24-017		9.1	19.8	10.7	1.31	195
	<i>and</i>	36.9	43.1	6.2	1.52	81
	<i>and</i>	48.5	55.4	7.0	0.91	78
	<i>and</i>	75.4	79.2	3.7	0.8	122
	<i>and</i>	88.1	159.8	71.8	1.01	74
	<i>incl.</i>	145.8	159.1	13.3	1.77	97
	<i>and</i>	177.6	197.6	19.9	0.87	80
	<i>and</i>	232.2	246.4	14.2	1.12	176
	<i>and</i>	251.7	257.9	6.2	0.71	249
	<i>and</i>	265	305.6	40.6	0.5	146
	<i>and</i>	322.1	344.3	22.2	0.7	185
	<i>and</i>	359	362.3	3.3	0.65	258
	<i>and</i>	368.8	375.5	6.7	0.52	302
Press release: October 1, 2024						
CS-24-018		50.1	82.9	32.8	1.29	110
	<i>and</i>	91	99	8.0	1.33	107
	<i>and</i>	107.3	125	17.6	1.01	109
	<i>and</i>	153.2	164.2	11.0	1.08	144
	<i>and</i>	171.5	187.4	15.9	1.38	90
	<i>and</i>	202.5	418.1	215.6	1.69	79
	<i>incl.</i>	257	293.6	36.6	2.03	77
	<i>incl.</i>	317	381.5	64.6	2.29	59
	<i>and</i>	443	469.3	26.2	1.79	118
	<i>and</i>	476.8	497.7	20.8	1.04	142
Press release: October 28, 2024						
CS-24-019		19	23.8	4.8	0.79	138
	<i>and</i>	55.1	60.1	4.9	1.48	136
	<i>and</i>	120.2	128.4	8.3	1.1	99
	<i>and</i>	134.5	191.3	56.8	1.06	108
	<i>incl.</i>	160.9	170	9.1	1.8	120
	<i>and</i>	197.1	224.2	27.1	1.08	97
	<i>incl.</i>	204	213	9.0	1.79	92
	<i>and</i>	235.8	240.7	4.9	1.19	369

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	<i>and</i>	322.1	331.4	9.4	0.96	151
	<i>and</i>	339.8	367.8	28.0	1.29	162
	<i>incl.</i>	363.1	367	3.9	2.35	306
	<i>and</i>	373.9	382.6	8.7	0.62	237
	<i>and</i>	392	421.8	29.8	0.94	237
	<i>incl.</i>	393.2	400.4	7.2	1.86	377
Press release: December 17, 2024						
CS-24-020		25.8	41.3	15.5	0.53	218
	<i>and</i>	63.1	65.8	2.7	1.71	111
	<i>and</i>	92.2	100.3	8.1	1.31	240
	<i>and</i>	110.8	121.8	11.0	1.21	288
	<i>and</i>	133.5	160	26.5	1.08	125
	<i>and</i>	191.8	207.6	15.8	1.43	118
	<i>and</i>	222.6	225.6	3.0	1.49	95
	<i>and</i>	233.5	239.6	6.1	1.16	108
	<i>and</i>	258.1	264.9	6.8	2.07	90
	<i>and</i>	277.4	286	8.6	0.86	95
	<i>and</i>	295.3	336.9	41.6	0.9	117
	<i>and</i>	342.2	355.8	13.5	1.25	54
	<i>and</i>	359.2	362.2	3.0	0.33	112
	<i>and</i>	380.7	383.9	3.2	0.42	344
Press release: October 28, 2024						
CS-24-021		89.6	92.8	3.2	1.61	105
	<i>and</i>	138.9	147.5	8.6	1.47	167
	<i>and</i>	189	192.7	3.7	1.22	173
	<i>and</i>	196.6	543.7	347.1	1.35	92
	<i>incl.</i>	217.5	230.5	13.0	1.62	72
	<i>incl.</i>	279.9	303.6	23.8	1.64	68
	<i>incl.</i>	317	347	30.0	1.76	84
	<i>incl.</i>	394	404	10.0	1.86	72
	<i>incl.</i>	417	426	9.0	1.92	70
	<i>incl.</i>	481.5	488.5	7.0	1.85	97
	<i>incl.</i>	510	518	8.0	1.61	106
Press release: December 9, 2024						
CS-24-022		135.5	150.2	14.7	0.85	154
	<i>and</i>	159.7	201	41.3	0.89	138
	<i>and</i>	242.7	246.3	3.6	0.93	111
	<i>and</i>	260.3	289.9	29.7	1.6	61
	<i>and</i>	308.1	311.1	3.0	0.9	81
	<i>and</i>	317.4	319.7	2.4	1.11	79
	<i>and</i>	328.4	384.2	55.8	1.6	54
	<i>and</i>	400.4	452.7	52.3	1.78	37
	<i>incl.</i>	408	429	21.0	2.46	28
	<i>and</i>	471.1	518.2	47.2	1.55	59

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	<i>incl.</i>	503.7	514.5	10.7	2.57	31
	<i>and</i>	524.6	536.2	11.6	1.32	47
Press release: December 9, 2024						
CS-24-023		7.6	10.5	3.0	0.73	170
	<i>and</i>	59.9	62.7	2.7	0.47	152
	<i>and</i>	71.4	96.1	24.7	1.26	106
	<i>and</i>	119.1	124.8	5.7	1.41	101
	<i>and</i>	147.9	152.3	4.4	1.21	116
	<i>and</i>	170.2	193.5	23.3	1.03	66
	<i>and</i>	223.8	251.9	28.0	1.63	51
	<i>and</i>	258.1	446.7	188.6	1.56	86
	<i>incl.</i>	410	436	26.0	2.03	59
	<i>and</i>	457.5	461.8	4.3	1.67	65
	<i>and</i>	474.8	483.3	8.6	1.72	98
	<i>and</i>	508.7	519.9	11.2	0.96	50
	<i>and</i>	572.2	609.1	36.9	0.37	41
Press release: May 27, 2025						
CS-25-024A		184.5	187	2.5	0.5	490
	<i>and</i>	332.5	341.7	9.2	0.95	85
	<i>and</i>	363.6	370.9	7.4	1.25	81
	<i>and</i>	510.4	549.9	39.5	1.16	112
Press release: May 27, 2025						
CS-25-025		298.2	327.1	29.0	1.1	81
	<i>and</i>	344.5	355.9	11.5	1.67	69
	<i>and</i>	368.5	397	28.5	0.94	52
	<i>and</i>	424.2	432.9	8.6	0.92	43
	<i>and</i>	447.9	468.3	20.4	1.13	49
	<i>and</i>	484.3	488.3	4.0	0.99	104
Press release: May 27, 2025						
CS-25-026		130.8	134.5	3.8	0.8	245
	<i>and</i>	220.7	224.2	3.4	0.32	260
	<i>and</i>	326.4	347.6	21.2	1.38	256
	<i>and</i>	399.8	405.6	5.9	1.07	143
	<i>and</i>	416	439.2	23.2	1.42	81
	<i>and</i>	457.8	460.5	2.7	0.37	197
	<i>and</i>	467.9	478	10.1	1.32	110
	<i>and</i>	486.3	510.2	23.9	1.46	106
	<i>and</i>	581.8	591.7	9.9	0.81	89
Press release: May 27, 2025						
CS-25-027		185.4	187.7	2.3	1.24	83
	<i>and</i>	224.1	232.2	8.1	1.03	159
	<i>and</i>	236.7	247.5	10.9	0.77	109
	<i>and</i>	253.3	432.9	179.6	1.66	67
	<i>and</i>	459.8	517.8	58.0	1.75	77

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

	and	528.4	620.1	91.8	1.81	69
Press release: June 10, 2025						
CS-25-028		142.2	161.8	19.6	1.43	295
	and	177.2	185.2	8.0	1.22	155
	and	304.7	307.6	2.8	0.85	76
	and	404.2	423.5	19.3	0.92	152
	and	445.5	454.6	9.0	1.47	94
	and	498	501.5	3.5	0.69	122
	and	506.5	509.9	3.4	1.36	205
	and	516.5	565.9	49.4	1.33	188
Press release: June 10, 2025						
CS-25-029		252.8	258.6	5.7	0.54	194
	and	287.3	291.3	4.0	1.42	123
	and	330.9	344.7	13.8	1.12	69
	and	406.8	415.7	8.9	0.75	149
	and	431.9	451.4	19.5	0.97	99
	and	456.5	482.9	26.5	1.25	130
	and	490.5	492.5	2.0	0.35	112
	and	503.5	505.9	2.4	0.77	86
Press release: June 10, 2025						
CS-25-030		239.3	252.3	13.0	0.82	132
	and	295.9	308.3	12.4	1.47	107
	and	342.6	395.3	52.7	0.83	154
Press release: June 10, 2025						
CS-25-031		381.3	385.9	4.6	0.96	74
	and	402.9	407.3	4.4	1.18	68
	and	422.9	441.6	18.7	1.5	41
	and	468.9	490.1	21.2	1.38	70
	and	526.5	560.4	33.9	1.19	60
Press release: June 10, 2025						
CS-25-032		no significant mineralization				
Press release: June 10, 2025						
CS-25-033		480.1	484.2	4.1	1.28	51
	and	518.4	537.1	18.7	1.4	66
	and	545.4	572.8	27.3	1.39	78
Press release: June 10, 2025						
CS-25-034		no significant mineralization				
Press release: June 10, 2025						
CS-25-035		92.3	97.2	4.9	0.49	118
Press release: June 10, 2025 and September 29, 2025						
		17.86	41.5	23.6	0.96	67
	and	69.9	75.5	5.6	1.20	195
	and	81.88	99.79	17.9	0.80	76

Q2 METALS CORP.

CISCO PROJECT

Drill hole assay information

CS-25-036	and	107.15	113.25	6.1	1.50	141
	and	129.53	132.58	3.1	2.18	73
	and	149.92	168.03	18.1	1.02	93
	and	173.32	237.64	64.3	1.34	76
	and	251.65	271.65	20.0	1.56	91
	and	280.69	553.16	272.5	1.61	57
Press release: June 10, 2025						
CS-25-037	no significant mineralization					
Press release: September 29, 2025						
		37.8	40.7	2.9	0.83	99