

## Q2 METALS CORP.

## CISCO PROJECT

## Drill hole assay information

Hole ID		From (m)	To (m)	Interval (m)	Li2O (%)	Ta2O5 (ppm)
Press release: May 16, 2024						
CS-23-01		141.5	156	14.5	0.66	120
	<i>Incl.</i>	152.6	155	2.4	1.94	130
	<i>and</i>	189.2	195.3	6.1	0.57	129
Press release: May 16, 2024						
CS-23-04		6	37.5	31.5	1.4	163
	<i>Incl.</i>	16.5	25.5	9.0	1.88	148
Press release: May 16, 2024						
CS-23-05		3	23.5	20.5	1.38	164
	<i>and</i>	46.5	94.5	48.0	1.36	125
	<i>Incl.</i>	49.5	58.5	9.0	1.91	101
	<i>and</i>	104.9	111.6	6.8	1.38	148
	<i>and</i>	124.3	135.9	11.6	1.16	163
	<i>and</i>	148.5	177	28.5	1.59	133
	<i>Incl.</i>	148.5	157.5	9.0	1.91	109
Press release: May 16, 2024						
CS-23-06		3	19.3	16.3	1.63	136
	<i>Incl.</i>	9	15	6.0	1.88	128
	<i>and</i>	24	46	22.0	1.02	131
	<i>and</i>	57	76.5	19.5	1.76	125
	<i>Incl.</i>	60	66	6.0	1.83	117
Press release: August 19, 2024						
CS-24-007		9.3	23	13.8	1.61	125
	<i>and</i>	44.9	72	27.1	1.96	138
	<i>Incl.</i>	59	70.1	11.1	2.49	104
	<i>and</i>	95.9	99.2	3.3	1.31	120
	<i>and</i>	127.7	132	4.4	1.3	163
	<i>and</i>	139	144	5.0	1.41	108
	<i>*and</i>	150.2	165.3	15.1	1.02	99
	<i>*and</i>	170.5	178.9	8.4	0.96	120
	<i>and</i>	186.5	204	17.5	1.61	171
<i>Incl.</i>	196	201.7	5.7	2.16	136	
Press release: August 19, 2024						
CS-24-008		69.3	77.1	7.8	1.32	173
	<i>and</i>	82.9	102.2	19.3	1.75	127
	<i>Incl.</i>	86.5	92.7	6.2	2.23	105
Press release: August 19, 2024						
CS-24-009		29	38.7	9.7	1.5	143
	<i>*and</i>	62.6	144.7	82.1	1.43	149
	<i>Incl.</i>	68	83.8	15.7	1.88	155
	<i>Incl.</i>	124.1	137.8	13.7	1.95	159
	<i>and</i>	154.8	178.9	24.2	1.65	151
	<i>Incl.</i>	163.2	173.5	10.3	2.02	145
Press release: August 19, 2024						
	*	14.3	20.5	6.2	0.84	242
	<i>and</i>	37.1	44.4	7.2	1.38	263
	<i>and</i>	53.1	68.5	15.5	1.64	167

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

CS-24-010	<i>and</i>	88.9	92.3	3.4	2.02	194
	<i>and</i>	101	117.7	16.7	1.83	100
	<i>and</i>	155.1	158.4	3.3	0.94	508
	<i>and</i>	183.8	186.3	2.5	0.99	176
	<i>*and</i>	200	320.3	120.3	1.72	195
	<i>incl.</i>	241.5	260.5	19.0	2.06	197
	<i>incl.</i>	303.5	316.5	13.0	2.25	195
	<i>and</i>	332	338	6.0	1.99	107
<b>Press release: October 1, 2024</b>						
CS-24-011		12.8	28.3	15.5	0.74	163
	<i>and</i>	42.9	62.7	19.8	0.88	262
	<i>and</i>	95.2	115.7	20.5	1.57	133
	<i>and</i>	125.6	207.4	81.8	1.17	96
<b>Press release: October 1, 2024</b>						
CS-24-012		23.6	34.3	10.7	1.28	192
	<i>and</i>	44.9	56.1	11.2	1.61	100
	<i>and</i>	71.6	78.6	7.0	1.65	140
	<i>and</i>	112.4	128.4	16.0	0.86	71
	<i>and</i>	214.1	222.9	8.8	0.72	166
	<i>and</i>	228.3	250.7	22.4	0.98	124
	<i>and</i>	254	264.4	10.4	0.46	57
<b>Press release: October 1, 2024</b>						
CS-24-013		17	26.7	9.6	1.21	101
	<i>and</i>	33.6	46.8	13.1	0.91	89
	<i>and</i>	52.1	55.8	3.8	1.2	98
	<i>and</i>	62.1	76.3	14.1	0.93	149
	<i>and</i>	85.5	100.5	15.1	1.78	125
	<i>and</i>	120.4	126.5	6.1	1.62	172
	<i>and</i>	136.6	196.1	59.5	1.18	118
	<i>and</i>	277.9	284.2	6.3	1.29	118
	<i>and</i>	289.8	299.3	9.6	0.98	93
<b>Press release: October 1, 2024</b>						
CS-24-014		7.2	16.9	9.7	1.15	123
	<i>and</i>	36.6	57.4	20.8	1.38	73
	<i>and</i>	80.9	100	19.1	0.96	188
	<i>and</i>	171.4	198.1	26.7	0.9	124
	<i>and</i>	212.4	221.2	8.7	0.98	227
	<i>and</i>	233.3	249.6	16.3	1.31	233
	<i>and</i>	265.3	267.9	2.7	0.85	255
	<i>and</i>	304.8	324.8	19.9	0.45	124
<b>Press release: October 1, 2024</b>						
CS-24-015		39.8	47.3	7.4	0.55	217
	<i>and</i>	101.6	105.3	3.7	0.75	227
	<i>and</i>	115.6	122.3	6.7	0.6	105
	<i>and</i>	127.9	138.2	10.4	1.43	167
	<i>and</i>	151.1	169.6	18.5	1.47	149
<b>Press release: October 1, 2024</b>						
CS-24-016		43.6	59.4	15.8	1.33	150
	<i>and</i>	255.3	261.1	5.8	0.59	98

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

Press release: October 28, 2024						
CS-24-017		9.1	19.8	10.7	1.31	195
	and	36.9	43.1	6.2	1.52	81
	and	48.5	55.4	7.0	0.91	78
	and	75.4	79.2	3.7	0.8	122
	and	88.1	159.8	71.8	1.01	74
	incl.	145.8	159.1	13.3	1.77	97
	and	177.6	197.6	19.9	0.87	80
	and	232.2	246.4	14.2	1.12	176
	and	251.7	257.9	6.2	0.71	249
	and	265	305.6	40.6	0.5	146
	and	322.1	344.3	22.2	0.7	185
	and	359	362.3	3.3	0.65	258
and	368.8	375.5	6.7	0.52	302	
Press release: October 1, 2024						
CS-24-018		50.1	82.9	32.8	1.29	110
	and	91	99	8.0	1.33	107
	and	107.3	125	17.6	1.01	109
	and	153.2	164.2	11.0	1.08	144
	and	171.5	187.4	15.9	1.38	90
	and	202.5	418.1	215.6	1.69	79
	incl.	257	293.6	36.6	2.03	77
	incl.	317	381.5	64.6	2.29	59
	and	443	469.3	26.2	1.79	118
and	476.8	497.7	20.8	1.04	142	
Press release: October 28, 2024						
CS-24-019		19	23.8	4.8	0.79	138
	and	55.1	60.1	4.9	1.48	136
	and	120.2	128.4	8.3	1.1	99
	and	134.5	191.3	56.8	1.06	108
	incl.	160.9	170	9.1	1.8	120
	and	197.1	224.2	27.1	1.08	97
	incl.	204	213	9.0	1.79	92
	and	235.8	240.7	4.9	1.19	369
	and	322.1	331.4	9.4	0.96	151
	and	339.8	367.8	28.0	1.29	162
	incl.	363.1	367	3.9	2.35	306
	and	373.9	382.6	8.7	0.62	237
and	392	421.8	29.8	0.94	237	
incl.	393.2	400.4	7.2	1.86	377	
Press release: December 17, 2024						
CS-24-020		25.8	41.3	15.5	0.53	218
	and	63.1	65.8	2.7	1.71	111
	and	92.2	100.3	8.1	1.31	240
	and	110.8	121.8	11.0	1.21	288
	and	133.5	160	26.5	1.08	125
	and	191.8	207.6	15.8	1.43	118
	and	222.6	225.6	3.0	1.49	95
	and	233.5	239.6	6.1	1.16	108

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

	<i>and</i>	258.1	264.9	6.8	2.07	90
	<i>and</i>	277.4	286	8.6	0.86	95
	<i>and</i>	295.3	336.9	41.6	0.9	117
	<i>and</i>	342.2	355.8	13.5	1.25	54
	<i>and</i>	359.2	362.2	3.0	0.33	112
	<i>and</i>	380.7	383.9	3.2	0.42	344
<b>Press release: October 28, 2024</b>						
		89.6	92.8	3.2	1.61	105
	<i>and</i>	138.9	147.5	8.6	1.47	167
	<i>and</i>	189	192.7	3.7	1.22	173
	<i>and</i>	196.6	543.7	347.1	1.35	92
<b>CS-24-021</b>	<i>incl.</i>	217.5	230.5	13.0	1.62	72
	<i>incl.</i>	279.9	303.6	23.8	1.64	68
	<i>incl.</i>	317	347	30.0	1.76	84
	<i>incl.</i>	394	404	10.0	1.86	72
	<i>incl.</i>	417	426	9.0	1.92	70
	<i>incl.</i>	481.5	488.5	7.0	1.85	97
	<i>incl.</i>	510	518	8.0	1.61	106
<b>Press release: December 9, 2024</b>						
		135.5	150.2	14.7	0.85	154
	<i>and</i>	159.7	201	41.3	0.89	138
	<i>and</i>	242.7	246.3	3.6	0.93	111
	<i>and</i>	260.3	289.9	29.7	1.6	61
	<i>and</i>	308.1	311.1	3.0	0.9	81
<b>CS-24-022</b>	<i>and</i>	317.4	319.7	2.4	1.11	79
	<i>and</i>	328.4	384.2	55.8	1.6	54
	<i>and</i>	400.4	452.7	52.3	1.78	37
	<i>incl.</i>	408	429	21.0	2.46	28
	<i>and</i>	471.1	518.2	47.2	1.55	59
	<i>incl.</i>	503.7	514.5	10.7	2.57	31
	<i>and</i>	524.6	536.2	11.6	1.32	47
<b>Press release: December 9, 2024</b>						
		7.6	10.5	3.0	0.73	170
	<i>and</i>	59.9	62.7	2.7	0.47	152
	<i>and</i>	71.4	96.1	24.7	1.26	106
	<i>and</i>	119.1	124.8	5.7	1.41	101
	<i>and</i>	147.9	152.3	4.4	1.21	116
	<i>and</i>	170.2	193.5	23.3	1.03	66
<b>CS-24-023</b>	<i>and</i>	223.8	251.9	28.0	1.63	51
	<i>and</i>	258.1	446.7	188.6	1.56	86
	<i>incl.</i>	410	436	26.0	2.03	59
	<i>and</i>	457.5	461.8	4.3	1.67	65
	<i>and</i>	474.8	483.3	8.6	1.72	98
	<i>and</i>	508.7	519.9	11.2	0.96	50
	<i>and</i>	572.2	609.1	36.9	0.37	41
<b>Press release: May 27, 2025</b>						
		184.5	187	2.5	0.5	490
<b>CS-25-024A</b>	<i>and</i>	332.5	341.7	9.2	0.95	85
	<i>and</i>	363.6	370.9	7.4	1.25	81

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

	and	510.4	549.9	39.5	1.16	112
<b>Press release: May 27, 2025</b>						
CS-25-025		298.2	327.1	29.0	1.1	81
	and	344.5	355.9	11.5	1.67	69
	and	368.5	397	28.5	0.94	52
	and	424.2	432.9	8.6	0.92	43
	and	447.9	468.3	20.4	1.13	49
	and	484.3	488.3	4.0	0.99	104
<b>Press release: May 27, 2025</b>						
CS-25-026		130.8	134.5	3.8	0.8	245
	and	220.7	224.2	3.4	0.32	260
	and	326.4	347.6	21.2	1.38	256
	and	399.8	405.6	5.9	1.07	143
	and	416	439.2	23.2	1.42	81
	and	457.8	460.5	2.7	0.37	197
	and	467.9	478	10.1	1.32	110
	and	486.3	510.2	23.9	1.46	106
	and	581.8	591.7	9.9	0.81	89
<b>Press release: May 27, 2025</b>						
CS-25-027		185.4	187.7	2.3	1.24	83
	and	224.1	232.2	8.1	1.03	159
	and	236.7	247.5	10.9	0.77	109
	and	253.3	432.9	179.6	1.66	67
	and	459.8	517.8	58.0	1.75	77
	and	528.4	620.1	91.8	1.81	69
<b>Press release: June 10, 2025</b>						
CS-25-028		142.2	161.8	19.6	1.43	295
	and	177.2	185.2	8.0	1.22	155
	and	304.7	307.6	2.8	0.85	76
	and	404.2	423.5	19.3	0.92	152
	and	445.5	454.6	9.0	1.47	94
	and	498	501.5	3.5	0.69	122
	and	506.5	509.9	3.4	1.36	205
	and	516.5	565.9	49.4	1.33	188
<b>Press release: June 10, 2025</b>						
CS-25-029		252.8	258.6	5.7	0.54	194
	and	287.3	291.3	4.0	1.42	123
	and	330.9	344.7	13.8	1.12	69
	and	406.8	415.7	8.9	0.75	149
	and	431.9	451.4	19.5	0.97	99
	and	456.5	482.9	26.5	1.25	130
	and	490.5	492.5	2.0	0.35	112
	and	503.5	505.9	2.4	0.77	86
<b>Press release: June 10, 2025</b>						
CS-25-030		239.3	252.3	13.0	0.82	132
	and	295.9	308.3	12.4	1.47	107
	and	342.6	395.3	52.7	0.83	154
<b>Press release: June 10, 2025</b>						
		381.3	385.9	4.6	0.96	74

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

CS-25-031	and	402.9	407.3	4.4	1.18	68
	and	422.9	441.6	18.7	1.5	41
	and	468.9	490.1	21.2	1.38	70
	and	526.5	560.4	33.9	1.19	60
<b>Press release: June 10, 2025</b>						
CS-25-032	<i>no significant mineralization</i>					
<b>Press release: June 10, 2025</b>						
CS-25-033		480.1	484.2	4.1	1.28	51
	and	518.4	537.1	18.7	1.4	66
	and	545.4	572.8	27.3	1.39	78
<b>Press release: June 10, 2025</b>						
CS-25-034	<i>no significant mineralization</i>					
<b>Press release: June 10, 2025</b>						
CS-25-035		92.3	97.2	4.9	0.49	118
<b>Press release: June 10, 2025 and September 29, 2025</b>						
CS-25-036		17.86	41.5	23.6	0.96	67
	and	69.9	75.5	5.6	1.20	195
	and	81.88	99.79	17.9	0.80	76
	and	107.15	113.25	6.1	1.50	141
	and	129.53	132.58	3.1	2.18	73
	and	149.92	168.03	18.1	1.02	93
	and	173.32	237.64	64.3	1.34	76
	and	251.65	271.65	20.0	1.56	91
	and	280.69	553.16	272.5	1.61	57
<b>Press release: June 10, 2025</b>						
CS-25-037	<i>no significant mineralization</i>					
<b>Press release: September 29, 2025</b>						
CS-25-038		37.8	40.7	2.9	0.83	99
	and	109.5	141.3	31.8	1.62	101
	and	156.8	215.7	58.9	1.09	163
	and	221.9	288.4	66.5	1.55	96
	and	297.8	314.9	17.1	1.67	101
	and	327.5	365.9	38.4	1.13	62
	and	373.8	378.1	4.3	1.32	56
	and	388.3	391.7	3.4	0.33	87
	and	409.6	431.9	22.3	1.55	38
	and	442.0	456.1	14.1	0.70	75
	and	470.9	476.8	5.8	0.77	83
	and	497.9	518.9	21.1	1.30	87
	and	523.8	532.0	8.2	0.47	214
	and	541.5	551.3	9.8	0.85	169
	and	563.5	576.3	12.8	1.17	234
	and	582.6	596.6	13.9	0.52	310
and	627.8	645.4	17.6	1.57	117	
<b>Press release: September 29, 2025</b>						
	and	28.4	41.1	12.7	1.23	122
	and	47.1	54.9	7.8	1.13	407
	and	66.4	83.8	17.4	1.52	101
	and	155.5	159.9	4.5	1.46	70

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

<b>CS-25-039</b>	<i>and</i>	173.7	244.6	71.0	1.84	79
	<i>and</i>	251.0	328.7	77.7	1.48	65
	<i>and</i>	338.8	446.2	107.4	1.87	60
	<i>and</i>	456.3	458.7	2.4	0.93	68
	<i>and</i>	472.4	474.8	2.5	1.23	66
	<i>and</i>	485.2	500.4	15.2	1.91	63
	<i>and</i>	514.8	623.3	108.5	1.62	79
<b>Press release: December 01, 2025</b>						
<b>CS-25-040</b>		163.9	168.7	4.8	1.45	123
	<i>and</i>	180.0	183.8	3.8	0.65	231
	<i>and</i>	224.5	233.7	9.3	1.41	110
	<i>and</i>	276.5	289.5	13.0	1.01	68
	<i>and</i>	293.1	359.5	66.5	1.26	73
	<i>and</i>	363.4	373.1	9.7	1.72	75
	<i>and</i>	377.7	459.5	81.9	1.56	79
	<i>and</i>	464.2	559.3	95.1	1.56	83
	<i>and</i>	565.3	572.9	7.6	1.30	162
	<i>and</i>	576.2	581.4	5.2	1.84	101
	<i>and</i>	586.3	602.7	16.4	1.65	91
<i>and</i>	619.4	641.6	22.2	1.05	98	
<b>Press release: December 01, 2025</b>						
<b>CS-25-041</b>		73.9	78.2	4.3	0.57	183
	<i>and</i>	91.3	100.5	9.2	1.45	113
	<i>and</i>	189.5	208.1	18.6	1.41	138
	<i>and</i>	213.1	266.9	53.9	1.53	124
	<i>and</i>	270.8	272.9	2.1	0.92	163
	<i>and</i>	278.7	319.8	41.2	1.31	125
<i>and</i>	323.4	377.4	54.0	1.21	90	
<b>Press release: December 01, 2025</b>						
<b>CS-25-042</b>		70.2	102.3	32.1	1.14	71
	<i>and</i>	110.0	128.7	18.7	1.36	94
	<i>and</i>	133.4	139.4	6.1	1.32	79
	<i>and</i>	143.7	169.8	26.1	1.13	109
	<i>and</i>	190.0	216.5	26.5	1.53	63
	<i>and</i>	220.1	227.6	7.5	1.16	73
	<i>and</i>	231.2	236.5	5.4	1.43	79
	<i>and</i>	242.3	250.5	8.3	1.41	62
	<i>and</i>	258.4	284.8	26.3	1.47	92
	<i>and</i>	293.1	302.6	9.5	0.76	61
	<i>and</i>	331.4	341.9	10.5	1.77	100
	<i>and</i>	345.2	349.4	4.3	0.88	86
	<i>and</i>	352.8	355.4	2.6	1.08	152
	<i>and</i>	360.1	392.8	32.7	1.56	95
<i>and</i>	430.1	442.7	12.6	0.70	59	
<i>and</i>	505.0	517.4	12.4	0.89	60	
<b>Press release: December 01, 2025</b>						
		19.9	23.0	3.2	0.84	220
<i>and</i>		37.8	46.9	9.1	0.79	80
<i>and</i>		59.2	69.9	10.7	0.95	176

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

<b>CS-25-043</b>	<i>and</i>	78.4	100.6	22.2	1.38	150
	<i>and</i>	131.1	140.6	9.5	1.42	139
	<i>and</i>	142.8	149.7	7.0	1.63	129
	<i>and</i>	153.9	180.2	26.3	0.87	154
	<i>and</i>	189.3	201.7	12.4	1.86	81
	<i>and</i>	210.8	231.8	21.0	1.09	121
	<i>and</i>	243.2	281.4	38.2	1.47	79
	<i>and</i>	303.6	317.7	14.1	0.81	97
	<i>and</i>	354.9	363.9	8.9	1.39	79
	<i>and</i>	398.9	420.2	21.4	1.52	176
	<i>and</i>	444.3	459.5	15.1	1.21	257
	<i>and</i>	464.6	476.9	12.3	1.53	115
<i>and</i>	482.0	494.9	12.9	1.16	160	
<b>Press release: December 03, 2025</b>						
<b>CS-25-044</b>		78.8	115.8	36.9	1.65	109
	<i>and</i>	187.6	645.0	457.4	1.65	94
	<i>and</i>	652.2	654.8	2.6	1.01	211
<b>Press release: December 03, 2025</b>						
<b>CS-25-045</b>		24.0	27.2	3.3	1.33	228
	<i>and</i>	61.0	64.9	3.9	1.37	260
	<i>and</i>	84.4	86.7	2.3	1.74	184
	<i>and</i>	90.5	96.5	6.0	1.64	168
	<i>and</i>	100.3	105.1	4.8	1.55	189
	<i>and</i>	137.8	148.8	11.0	1.55	119
	<i>and</i>	168.6	173.3	4.7	0.39	112
	<i>and</i>	207.2	211.3	4.2	0.87	81
	<i>and</i>	232.3	246.3	14.0	1.35	137
<i>and</i>	386.4	392.1	5.6	1.23	505	
<b>Press release: December 03, 2025</b>						
<b>CS-25-046</b>		180.7	192.0	11.3	1.53	89
	<i>and</i>	197.1	200.2	3.1	0.89	111
	<i>and</i>	205.1	207.5	2.4	2.19	104
	<i>and</i>	214.4	225.0	10.6	1.51	96
	<i>and</i>	264.3	282.7	18.4	1.43	128
	<i>and</i>	340.3	345.2	4.9	1.55	111
	<i>and</i>	350.2	387.4	37.2	1.48	163
<b>Press release: December 03, 2025</b>						
<b>CS-25-047</b>		206.2	217.2	11.0	1.44	135
	<i>and</i>	229.4	243.3	14.0	0.90	101
	<i>and</i>	278.6	284.4	5.8	1.36	128
	<i>and</i>	301.2	305.5	4.3	0.82	115
	<i>and</i>	575.5	591.1	15.6	0.96	154
	<i>and</i>	636.4	645.5	9.1	1.59	66
<b>Press release: January 22, 2026</b>						
		24.8	26.9	2.1	0.82	239
<i>and</i>		77.4	80.7	3.3	0.84	237
<i>and</i>		105.3	107.4	2.2	0.30	204
<i>and</i>		111.3	114.8	3.6	0.40	169

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

<b>CS-25-048</b>	<i>and</i>	118.3	120.9	2.5	0.91	224
	<i>and</i>	125.9	129.3	3.4	1.15	206
	<i>and</i>	151.3	175.0	23.8	1.25	141
	<i>and</i>	221.2	239.2	18.0	1.43	98
	<i>and</i>	244.7	247.2	2.6	1.08	90
	<i>and</i>	251.8	256.9	5.1	1.10	236
	<i>and</i>	269.2	274.5	5.2	0.91	145
	<i>and</i>	282.4	287.3	4.9	1.31	111
	<i>and</i>	298.6	312.9	14.2	1.23	87
	<i>and</i>	318.4	328.4	10.0	1.08	104
	<i>and</i>	334.2	338.4	4.1	1.19	155
	<i>and</i>	346.0	356.3	10.3	1.50	75
	<i>and</i>	360.3	368.4	8.0	1.57	79
	<i>and</i>	380.8	383.6	2.8	1.10	61
	<i>and</i>	416.8	420.6	3.9	1.52	76
<i>and</i>	433.2	436.0	2.7	0.47	311	
<b>Press release: January 22, 2026</b>						
<b>CS-25-049</b>		269.7	275.0	5.4	1.39	87
	<i>and</i>	335.5	339.4	3.9	0.98	68
	<i>and</i>	343.4	360.0	16.6	1.16	103
	<i>and</i>	363.7	369.6	5.9	1.08	148
	<i>and</i>	375.4	393.4	18.1	0.49	65
	<i>and</i>	435.4	452.6	17.2	1.38	91
<b>Press release: January 22, 2026</b>						
<b>CS-25-050</b>		17.7	25.7	8.0	1.03	96
	<i>and</i>	33.5	43.9	10.4	1.12	123
	<i>and</i>	58.1	65.5	7.3	1.28	173
	<i>and</i>	78.6	93.2	14.6	1.03	108
	<i>and</i>	96.5	99.7	3.2	1.41	90
	<i>and</i>	109.9	116.2	6.2	1.69	66
	<i>and</i>	122.2	130.4	8.2	1.17	67
	<i>and</i>	134.3	136.3	2.0	0.97	75
	<i>and</i>	222.9	231.4	8.5	1.07	242
	<i>and</i>	245.2	252.4	7.2	1.33	142
	<i>and</i>	256.5	261.3	4.9	1.04	437
	<i>and</i>	311.9	318.3	6.4	0.30	225
	<i>and</i>	327.1	329.2	2.1	0.69	342
	<i>and</i>	337.8	341.9	4.0	0.63	197
<i>and</i>	345.2	352.0	6.8	0.39	413	
<b>Press release: January 22, 2026</b>						
<b>CS-25-054</b>		29.4	46.5	17.1	1.22	163
	<i>and</i>	62.6	69.6	7.1	1.10	74
	<i>and</i>	103.4	106.5	3.1	0.79	73
<b>Press release: January 22, 2026</b>						

**Q2 METALS CORP.**

**CISCO PROJECT**

Drill hole assay information

<b>CS-25-057</b>	461.0	496.8	35.8	1.51	75
and	503.8	506.6	2.8	0.45	139
and	543.7	551.8	8.1	1.37	76
and	555.9	570.8	14.9	1.38	82
and	578.9	581.4	2.5	0.43	138
and	590.3	640.0	49.8	1.41	69
<b>Press release: January 22, 2026</b>					
<b>CS-25-059</b>	28.7	30.7	2.0	0.80	286
and	34.1	40.7	6.6	1.75	174
and	43.9	51.5	7.7	1.31	169
and	58.1	68.9	10.9	1.23	173
and	125.4	127.8	2.5	0.28	89
<b>Press release: January 22, 2026</b>					
<b>CS-25-061</b>	16.7	25.1	8.3	1.17	128
and	47.5	52.8	5.3	1.21	99
and	62.9	70.8	7.8	1.14	175
and	108.4	112.7	4.3	0.92	186
and	119.2	122.9	3.7	0.76	489
and	146.5	157.6	11.1	0.94	175
and	174.9	179.0	4.1	1.55	182
and	252.4	257.8	5.4	1.18	432
and	306.9	309.6	2.7	0.45	335
<b>Press release: January 22, 2026</b>					
<b>CS-25-062</b>	80.0	83.8	3.8	1.18	207
and	92.0	96.8	4.8	0.95	133
and	136.0	149.4	13.4	0.60	163
and	159.5	161.7	2.1	0.75	128
and	165.5	171.7	6.2	1.36	111
and	182.5	204.6	22.2	1.32	110
and	225.9	240.9	15.0	1.26	109
and	247.3	258.5	11.2	0.89	108
and	293.4	313.8	20.4	0.98	120
and	330.9	333.7	2.8	0.72	254
and	368.2	396.4	28.3	1.24	137
and	408.0	428.6	20.6	0.53	98
<b>Hole CS-25-63: Results Pending</b>					
<b>Hole CS-25-64: Results Pending</b>					
<b>Press release: January 22, 2026</b>					
<b>CS-25-065</b>	29.8	36.9	7.2	1.24	226
and	54.6	64.7	10.1	0.79	254
and	68.7	84.4	15.7	1.48	185
and	96.4	275.6	179.2	1.24	85
and	281.9	295.5	13.7	1.14	82
<b>Press release: January 22, 2026</b>					

## Q2 METALS CORP.

## CISCO PROJECT

## Drill hole assay information

<b>Exploration Drilling Near CO2</b>						
<b>CS-25-051</b>		52.9	60.0	7.2	0.74	98
Press release: January 22, 2026						
<b>CS-25-052</b>		158.3	176.4	18.1	0.68	127
	and	314.0	323.7	9.7	0.67	89
Press release: January 22, 2026						
<b>Hydrogeology Drilling (HQ)</b>						
<b>CS-25-053</b>		95.5	114.0	18.5	1.82	162
Press release: January 22, 2026						
<b>CS-25-055</b>		48.3	87.6	39.3	1.13	103
	and	96.7	99.7	3.0	0.68	374
Press release: January 22, 2026						
<b>CS-25-056</b>		23.1	29.5	6.3	1.41	114
	and	35.1	66.1	31.0	1.51	185
	and	71.0	74.7	3.7	1.52	141
	and	85.2	88.1	2.9	1.03	106
	and	93.8	101.9	8.2	1.06	72
	and	117.7	128.9	11.2	0.58	136
	and	154.9	203.7	48.9	1.44	74
Press release: January 22, 2026						
<b>CS-25-058</b>		77.9	92.0	14.1	1.10	119
Press release: January 22, 2026						
<b>CS-25-060</b>		84.2	88.8	4.7	1.07	143
		37.3	41.7	4.4	1.16	308
	and	52.6	56.7	4.2	0.68	226
	and	105.2	109.4	4.2	1.79	140
	and	111.2	113.5	2.3	1.03	154
	and	144.3	148.4	4.1	1.72	89
	and	167.2	176.3	9.1	1.73	113
<b>CS-25-063</b>	and	194.0	197.8	3.8	1.03	83
	and	220.8	225.4	4.7	0.89	62
	and	234.6	251.8	17.2	1.00	117
	and	268.1	287.0	18.9	0.81	104
	and	305.7	327.4	21.8	1.12	106
	and	333.0	335.3	2.4	0.61	177
	and	375.5	450.9	75.4	1.67	67
		91.4	93.6	2.2	0.90	99
	and	200.1	203.7	3.6	1.16	100
	and	263.1	291.7	28.7	1.81	133
	and	297.5	311.0	13.5	1.76	102
<b>CS-25-064</b>	and	338.5	505.2	166.7	1.47	90
	and	530.4	544.5	14.0	1.32	59

## Q2 METALS CORP.

## CISCO PROJECT

## Drill hole assay information

	and	563.4	570.2	6.8	1.25	83
	and	583.3	634.7	51.4	0.61	68
	and	638.3	646.5	8.2	0.23	74
		241.4	252.2	10.9	1.29	132
	and	266.8	277.8	11.0	0.88	212
	and	290.9	300.3	9.4	0.42	203
	and	492.9	499.7	6.8	0.94	63
<b>CS-25-066</b>	and	549.3	555.9	6.6	1.62	77
	and	581.6	607.3	25.7	1.65	55
	and	624.5	635.0	10.5	0.70	164
	and	648.0	661.9	13.9	1.80	55
	and	667.1	719.4	52.2	1.35	57
		81.3	87.1	5.8	0.64	253
	and	92.6	109.5	16.9	0.94	161
	and	125.7	141.9	16.2	0.86	109
	and	149.3	155.8	6.4	0.62	79
	and	168.5	174.9	6.3	1.12	54
<b>CS-25-067</b>	and	181.7	238.6	56.9	1.04	88
	and	246.2	259.8	13.6	1.54	105
	and	263.9	269.8	5.9	0.77	50
	and	306.6	316.4	9.8	1.47	60
	and	319.6	323.5	3.9	0.97	53
	and	335.1	356.5	21.4	0.97	70
		198.5	205.3	6.8	0.73	149
	and	344.2	357.6	13.4	1.76	108
	and	368.4	391.3	22.9	1.15	147
	and	397.0	430.5	33.6	1.54	92
	and	470.7	481.1	10.4	0.86	98
	and	496.8	498.8	2.0	1.53	96
<b>CS-25-070</b>	and	515.4	549.1	33.8	1.74	62
	and	554.3	571.4	17.1	1.74	69
	and	579.0	589.4	10.5	1.14	36
	and	611.7	646.0	34.3	0.78	56
	and	650.2	669.6	19.4	0.37	69
	and	677.5	682.6	5.2	1.76	341
		42.4	53.9	11.4	1.21	447
	and	178.7	181.0	2.3	0.97	380
	and	234.2	247.2	13.0	0.61	235
	and	277.2	286.5	9.3	1.14	138
<b>CS-25-072</b>	and	305.9	388.1	82.1	1.71	83

## Q2 METALS CORP.

## CISCO PROJECT

## Drill hole assay information

	<i>and</i>	405.8	515.3	109.5	1.67	67
	<i>and</i>	523.8	527.6	3.8	1.23	43
	<i>and</i>	532.9	654.4	121.6	1.45	69
		161.2	235.4	74.2	0.94	104
CS-25-073	<i>and</i>	240.9	253.7	12.7	1.29	71
	<i>and</i>	263.1	341.6	78.5	1.47	79
	<i>and</i>	347.7	517.9	170.2	1.99	43
	<b><i>incl.</i></b>	<b>422.2</b>	<b>462.3</b>	<b>40.1</b>	<b>2.89</b>	<b>22</b>
	<i>and</i>	543.3	652.0	108.7	1.52	67
		319.7	335.6	15.9	1.17	129
CS-25-075	<i>and</i>	344.8	357.3	12.6	0.89	115
	<i>and</i>	363.1	368.4	5.3	0.64	199
	<i>and</i>	376.3	393.7	17.5	1.56	102
	<i>and</i>	438.1	461.6	23.5	1.58	66
	<i>and</i>	472.3	477.8	5.5	1.30	80
	<i>and</i>	482.4	527.8	45.4	1.44	52
	<i>and</i>	569.0	579.4	10.4	0.77	56
	<i>and</i>	595.3	641.8	46.5	1.61	57
	<i>and</i>	653.7	671.5	17.8	1.31	54
	<i>and</i>	678.0	687.1	9.1	0.94	146
CS-25-076		7.3	10.6	3.4	1.19	154
	<i>and</i>	16.4	24.9	8.5	1.85	169
	<i>and</i>	34.8	38.9	4.1	1.48	181
	<i>and</i>	43.4	76.4	33.0	0.79	107
	<i>and</i>	107.4	132.9	25.6	0.34	184